

Dermal Toxicology Specialty Section

Executive Council

President

Anna A. Shvedova, Ph.D., DSc.
CDC/NIOSH
ats1@cdc.gov

President-Elect

G. Frank Gerberick, Ph.D.
Procter & Gamble
gerberick.gf@pg.com

Vice-President

James E. Riviere, DVM, Ph.D.
North Carolina State University
jim_riviere@ncsu.edu

Secretary-Treasurer

Jeffrey D. Laskin, Ph.D.
UMDNJ - Robert Wood Johnson
Medical School
jlaskin@cohsi.rutgers.edu

Counselors

Diane A. Heck, Ph.D.
Rutgers University
dheck@cohsi.rutgers.edu

Elena A. Serbinova, Ph.D.

Penederm Incorporated
eserbinova@penederm.com


B. Jean Meade, Ph.D.

CDC/NIOSH
bhm8@cdc.gov

The *Dermal Toxicology Specialty Section* newsletter is published 3 times/year (May, August, November) in printed and electronic formats. If you would like to share a book review, meeting report, web site, or any other item of general interest to the specialty section, please send it to the editors by the beginning of the month prior to the listed publication dates. We also welcome any comments or suggestions pertaining to overall content or format.

Michael K. Robinson, Editor
The Procter & Gamble Co.
Cincinnati, Ohio 45253
Tel. 53-627-2192; Fax. 513-627-0400
robinson.mk@pg.com

Lisa K. Ryan, Associate Editor
UMDNJ
Newark, NJ 07103
Tel. 973-972-2624
ryanlk@umdnj.edu



President's Message

I am deeply honored to serve as the first President of the Dermal Toxicology Specialty Section. I would like to thank the membership and to present to you my thoughts as to how we as toxicologists can interact with other scientists to address some of the pressing issues in research related to the skin. I am not trying to prescribe the areas of concern but only to suggest topics for your attention.

As we all know, the primary function of the skin is to serve as a protective barrier against the environment. Loss of the integrity of large portions of the skin as a result of injury or illness may lead to major disability or even death. Every year in the United States more than 1.25 million people have burns and 6.5 million have chronic skin ulcers caused by environmental and occupational insults, physical stress (e.g., pressure), and endogenous factors (e.g., vascular status), or systemic disease (e.g., diabetes mellitus).

Mechanistic studies in skin toxicology and pharmacology will help provide information to

ascertain the risk posed by materials that access the body through the skin. This also helps to lessen the gap between *in vitro/in vivo* and predictive skin and other organ-toxicity studies. There has been a recent surge in activity in areas related to skin metabolism and oxidative tissue damage. Skin, being the interface between the environment and the body, bears the brunt of oxidative stress. The constitutive redox status and enzymatic and non-enzymic antioxidant defense systems in the skin help to reduce this burden to some extent. When the balance between the reactive oxygen species and antioxidant constituents is perturbed, one sees a constellation of adverse effects not only in the skin but also in distant organs like the liver, heart and many others. Such perturbation may also affect the immune system and lead to contact dermatitis or other related immune dysfunctions. This research area needs more attention and further development.

The skin forms the continuous external surface of the body and is useful to explore biologic questions that are germane not only to the skin but to other organs. Elucidation of how the structure and function of the skin are maintained under homeostatic conditions is essential to understanding various physiological or toxicological processes. The adult epidermis and dermis provide clear support and nourishment for the skin. The hair and glands derived from epidermis and deeply embedded in the dermis

represent a highly visible and accessible interface with the environment that may be an important route of entry for variety of environmental and occupational substances.

Hair, a component of the skin has a psychosocial importance worldwide. Large sums of money are spent on therapies that help to grow or remove hair from parts of the body. No additional hair follicles are formed after birth, although the androgenic hormones can change the size of the constituent hair follicle. We need detailed understanding of the hair follicle biology, and all types of alopecias. We need to understand phenomena like transient shedding of hair as may result from occupational exposures, chemotherapeutic agents and other medications, fever, parturition, malnutrition, scarring and androgenic baldness involving genes that confer a predisposition to alopecia.

In a healthy state, skin lesions, and in particular wounds, heal very quickly. However, some lesions, such as ulcers, burns and others, take an inordinate amount of time to heal if they heal at all. The end-product in these situations is neither functionally nor aesthetically pleasing, much less perfect. Recent advances in cellular and molecular biology have greatly expanded our understanding of basic skin biology. Examples include monospecific antisera for immunocytochemistry, cloned DNA probes for in-situ hybridization, micro-arrays, genomics, cellomics, proteomics, and functional biological assays. Using these powerful tools, it should prove possible to discover the temporal and spatial relationships of different molecular mediators, reactive oxygen species, lipid and chemokine modulators and the role they play in irritant, contact sensitization, skin injury and healing. Such information will provide and define rationales for

preventive measures in the occupational and environmental settings, and therapeutic approaches to intervention to defend skin and improve health.

Many investigators continue to study problems of impaired healing in young and rapidly growing animals where manipulating the course of a robust healing process is much more difficult. A fine network of the skin sensory nervous system innervates multiple cell types and releases neuropeptides (neurotransmitters) that play important roles in inflammatory responses. These biologic responses are attenuated by skin neutral endopeptidases and their regulatory mechanisms are quite important to be elucidated. We need to continue to contribute information to the existing knowledge of the “start” and “stop” signals that come from the skin and the redundancy and cross talk that determine the process of skin reactivity and healing.

One of the most formidable questions facing the toxicology research community today is how to translate basic fundamental research into a product that meets the needs of its stakeholders - the medical community, regulatory agencies and ultimately the citizens of our nation. It is imperative that researchers in general, and the Dermal Toxicology Specialty Section members in particular, be as inclusive as possible of other scientific disciplines in their research endeavors. I trust that this shall be our guiding principle.

Anna A. Shvedova
ats1@cdc.gov

Committee Updates

Program Committee

Submitted by Frank Gerberick

The Program Committee is off to a great start. At the upcoming SOT meeting in San Francisco the DTSS will be

sponsoring a symposium entitled “Toxic Catalytic and Protective Mechanisms of Phenoxy Radical Intermediates.” The symposium will be chaired by Drs. Valerian E. Kagan (University of Pittsburgh) and Ronald P. Mason (NIEHS). Congratulations to our President, Dr. Anna A. Shvedova, for her efforts in getting this symposium on SOT 2000 Program.

The goal of the Program Committee is to develop and promote state-of-the-art symposia, workshops and round table discussions for annual and satellite SOT meetings. It will be critical for the early success of DTSS that we submit strong proposals for next year’s SOT 2002 meeting in Nashville as well as future meetings. Currently, Anna A. Shvedova is chair and I am the co-chair of the Program Committee along with Jim Riviera, Ian Kimber and Howard Maibach as committee members. If anyone else is interested in joining our important committee let Anna or me know as soon as possible.

Whether you join the Program Committee or not, we welcome openly any ideas you have for symposia, workshops or round table discussions that would be submitted for consideration at the 2002 SOT meeting. Please send your proposals to Anna or me and make sure you include the following information.

1. The proposal’s title and specified forum (e.g., workshop)
2. A brief description of the proposal
3. Proposed speakers with synopsis of each talk (emphasis on including SOT/DTSS members should be considered)
4. Proposed chairperson(s)
5. List Specialty Sections that could co-sponsor the event with DTSS (e.g., Risk Assessment Specialty Section)

For additional guidance on preparing a proposal, please refer to David Eaton and William Greenlee's excellent article entitled ***Accepted by the Program Committee*** that appeared in the Summer 2000 edition of SOT's Communiqué. Please send your proposals to Anna or me by March 1, 2001. This will give the Program Committee ample time to review the proposals before meeting in person at the upcoming 2001 SOT meeting in San Francisco. Hope to hear from you soon!

gerberick.gf@pg.com

Membership Committee

Submitted by Guilin Qiao

On behalf of the DTSS Executive committee, I am asking you to show your strong support to our Specialty Section. If you believe that the new DTSS is important to your professional activities as well as to the future of dermal toxicology research, I would like to ask you to pay your SOT membership dues before December 31, 2000. Timely payment of dues on your part has an enormous monetary impact on our Specialty Section. For all Specialty Section dues paid in a given fiscal year, we receive \$13 of that \$15 to support our Specialty Section. For students, we receive \$13 for every student who checks that box, regardless of the fact that a student can join for free. These monies go toward awards and the reception. In closing and on behalf of the Dermal Toxicology Specialty Section, I would like to thank you for your support, Guilin Qiao, DVM, Ph.D., Chairman, DTSS membership committee, GAQ1@CDC.gov

Continuing Education Committee

Submitted by
Nancy Monteiro-Riviere

The Continuing Education Committee of the Dermal

Toxicology Specialty Section would like to gather ideas for Continuing Education courses. DTSS did not sponsor any such courses in its inaugural year. As a newly formed section we must do our part since one of the most important functions of the specialty section is to provide programs for the up coming 2002 SOT Annual meeting. Therefore, we need members to suggest ideas or topics that would value to the SOT Continuing Education Courses. Your proposal should be emailed to me or Diane Heck and should include the following:

1. A proposed title and forum (continuing education courses)
2. A brief description of the proposed content (a short paragraph will do).
3. Proposed speakers (3 - 5).
4. Proposed chairperson, if you can think of one (you can also volunteer yourself).

Anything within the realm of dermal toxicology is fair game, and you are welcome to be creative and think of topics that our specialty section could jointly sponsor with another SOT specialty section. Look at past Continuing Education Courses, Symposia, or Workshops that you think would be appropriate to update and repeat.

Please send your suggestions back to Chairpersons:

Nancy Monteiro-Riviere
(Nancy_Monteiro@ncsu.edu)
Or Diane Heck
(dheck@eohsi.rutgers.edu).

We need to have your ideas quickly and would like to have completed proposals sent in before the March 15, 2001. This will give us an idea on how many proposals have been submitted by our March meeting and determine if we should solicit additional proposals.

Communications Committee

Submitted by Michael K. Robinson

The goal of the Communications Committee of the DTSS is to coordinate the collection and dissemination of information relevant to the needs of dermal toxicologists within the specialty section, as well as assisting the Council in outreach to the general toxicology community. We will do so through the use of this newsletter and the creation and maintenance of an SOT linked web site.

At this early stage of our formation as a specialty section, we welcome your ideas for both the content and format of our print and electronic communications. These will be continually updated and improved based on feedback received. Please send your comments and ideas to:

Michael K. Robinson
robinson.mk@pg.com

Lisa K. Ryan
ryanlk@umdnj.edu

We are also looking for specialty section scientists that would be interested in becoming members of the Communications Committee. Please send us your name, address, phone number, fax number and email address or sign up at the specialty section meeting to be held at the annual SOT meeting next March.

Regulatory/Policy Committee

Submitted by James N. McDougal and Robert W. Lange

Goals: Promote awareness of issues, changes or initiatives that affect dermal toxicology in the areas of occupational, environmental and pharmaceutical regulations in the US, Europe and other regions.

How to achieve goals:

1. Identify individuals within our specialty section who are familiar with regulations and policies for each of the regulatory agencies such as FDA, USEPA, OSHA etc.
2. Invite them to participate in the committee.
3. If there are gaps in coverage, invite appropriate SOT members who are not members of the specialty section to join and participate in the committee.
4. Identify policies or issues, which would have impact on dermal specialty section members and include information in newsletter, web site etc.

Suggest workshops or roundtables at annual meetings that would assist in education/ harmonization of dermal regulations.

james.mcdougal@wpafb.af.mil
rwlange@mmm.com

Awards Committee

Submitted by Eugenia Harnagea-Theophilus

A broad goal of the Awards Committee of the DTSS is to attract undergraduate and graduate students to dermal research, get them involved more by rewarding their work. In addition, this committee will try to orient students in early stages of their career path by facilitating professional networking and job finding after graduation.

Goal 1

Identify, encourage, and reward excellence in student dermal research.

How to achieve it:

1. Determine how to institute Dermal Specialty Section Student Award.
2. Define criteria for submission eligibility.
3. Set deadlines for abstract or poster copy submission.

4. Help advertise establishment of new award via SOT communication (web, Communiqué, and letter/flyer distribution).
5. Establish simple scoring system.
6. Identify 3-4 volunteers willing to judge submissions and set deadlines for review results.
7. Collect and distribute submissions to reviewers.
8. Collect results and report to the President.
9. Create award certificate and ribbon to attach at the conference on winning poster(s).
10. Announce winner(s) and advertise via SOT.
11. Place ribbons on winning poster(s) at SOT.
12. Distribute check and award certificate(s) at SOT DTSS Meeting.

Goal 2

Recruit student participants. Create a student database with students involved in dermal research. How to achieve it: At the meeting, visit posters that involve dermal research subjects, meet students, get their contact information and/or CVs and create a student information database, then distribute it to members.

Goal 3

Create a document to support students. The document could contain tips on how to get jobs, types of jobs available, what employers want, dermal journals, dermal websites, etc.

How to achieve it:

1. Create draft.
2. Identify volunteer(s) to review it.
3. Distribute document for review. Make corrections.
4. Determine final distribution means.

Please send suggestions and comments to:
eugenia.theophilus@avon.com

Methods Committee

Submitted by Robert L. Bronaugh

Goal: To promote the development, standardization and validation of assays useful in the detection of dermal adverse effects following exposure to environmental and occupational chemicals, additives, cosmetic and medicinal agents. The Committee promotes the sharing of technical expertise among members/ nonmembers of the Society and Specialty Section.

How to achieve it:

1. Conduct a survey of the members of the Dermal Toxicology Specialty Section to determine their interests and experience in the development and validation of methods for dermal toxicity assessment. The results of the survey should provide us with information about the interests and expertise of the members.

2. Explore the possibility of creating a DTSS/ Methods Committee website to post information on dermal toxicology methods. Thoughts on type of information to be posted are listed below.

- References to articles or other sources of information on dermal toxicology methods
- Listing of approved/validated alternatives methods for dermal toxicology assessment
- Listing of persons in DTSS with expertise in specific methods

Identify methods that have unresolved problems and possibly try to develop solutions to these problems.

rbronaug@bangate.fda.gov

Student Representative Report

Submitted by Charlotte A. Smith

The Dermal Toxicology Specialty Section will initiate a new program in the coming year to increase the involvement of numerous undergraduate and graduate institutions in educating and making the next generation of scientists aware of the broad opportunities in the diverse areas of dermal toxicology.

Encouraging student membership, providing research incentives in toxicology, and enhancing curricula in basic skin research and dermal toxicology, are priorities of the Student's Liaison Committee among the goals of our Award Committee.

zrn6@cdc.gov

DTSS Meeting Information

The annual Dermal Toxicology Specialty Section meeting will be held in conjunction with the annual SOT meeting (March 25-29, 2001; San Francisco, CA). The exact date and time for the DTSS meeting is Tuesday March 27, 2001 from 6:00 – 7:30 P.M. Further details (such as hotel and room location) will be listed in the SOT annual meeting program and will be posted (when available) on the DTSS web site.

Member Comments/Views

We encourage your enthusiastic involvement and suggestions! Take a moment and send us your comments.

Member News

This section of the newsletter will be devoted to listing of significant news items affecting individual specialty section members. Examples will include events such as changes in professional affiliations,

promotions, awards or honors, etc. We ask that members send this information to the editors via phone, fax, or email for posting in the subsequent newsletter. Thank you - eds.

Member Publications

Each newsletter will feature a listing of specialty section member publications (journal articles, book chapters, books) that have appeared in print since the last edition. While the editors will do their best to survey the indexing services relative to the current membership roster, it is likely that some mistakes and omissions will occur. If we have inadvertently omitted a recent publication or listed something incorrectly, please advise us by email and we will see that this is corrected in the following newsletter. Also, we welcome your help in this endeavor. Please send us your citations for any recently published articles and books. That will aid us in our literature searching. Due to time constraints, this first newsletter includes only MEDLINE listed publications from the current calendar year. Thank you - eds.

Recent Publications (DTSS authors in bold):

Shvedova AA, Kommineni C, Jeffries BA, Castranova V, Tyurina YY, Tyurin VA, Serbinova EA, Fabisiak JP, Kagan VE. Redox cycling of phenol induces oxidative stress in human epidermal keratinocytes. *J Invest Dermatol* 114:354-364, 2000

Kagan VE, Kuzmenko AI, Shvedova AA, Kisin ER, Tyurina YY, Yalowich JC.

Myeloperoxidase-catalyzed phenoxyl radicals of vitamin E homologue, 2,2,5,7,8-pentamethyl-6-hydroxychromane, do not induce oxidative stress in live HL-60 cells. *Biochem Biophys Res Commun.* 270:1086-1092, 2000

Kagan VE, Fabisiak JP, Shvedova AA, Tyurina YY, Tyurin VA, Schor NF, Kawai K. Oxidative signaling pathway for externalization of plasma membrane phosphatidylserine during apoptosis. *FEBS Lett* 477:1-7, 2000

Tyurina YY, **Shvedova AA**, Kawai K, Tyurin VA, **Kommineni C**, Quinn PJ, Schor NF, Fabisiak JP, **Kagan VE.** Phospholipid signaling in apoptosis: peroxidation and externalization of phosphatidylserine. *Toxicology* 148:93-101, 2000

Gerberick GF, Ryan CA, Kimber I, Dearman RJ, Lea LJ, Basketter DA. Local lymph node assay: validation assessment for regulatory purposes. *Am J Contact Dermat* 11:3-18, 2000

Robinson MK, Gerberick GF, Ryan CA, McNamee P, White IR, Basketter DA. The importance of exposure estimation in the assessment of skin sensitization risk. *Contact Dermatitis* 42:251-259, 2000

Basketter DA, Blaikie L, Dearman RJ, Kimber I, Ryan CA, Gerberick GF, Harvey P, Evans P, White IR, Rycroft RJ. Use of the local lymph node assay for the estimation of relative contact allergenic potency. : *Contact Dermatitis* 42:344-348, 2000

Gerberick GF, Robinson MK. A skin sensitization risk assessment approach for evaluation of new ingredients and products. *Am J Contact Dermat* 11:65-73, 2000

- McKinney JD, Richard A, Waller C, Newman MC, **Gerberick F**. The practice of structure activity relationships (SAR) in toxicology. *Toxicol Sci* 56:8-17, 2000
- Ryan CA, **Gerberick GF**, Cruse LW, **Basketter DA**, Lea L, Blaikie L, Dearman RJ, Warbrick EV, **Kimber I**. Activity of human contact allergens in the murine local lymph node assay. *Contact Dermatitis* 43:95-102, 2000
- Robinson MK**. Racial differences in acute and cumulative skin irritation responses between Caucasian and Asian populations. *Contact Dermatitis* 42:134-143, 2000
- Smith HR, Holloway D, Armstrong DK, **Basketter DA**, McFadden JP. Irritant thresholds in subjects with colophony allergy. *Contact Dermatitis* 42:95-97, 2000
- McFadden JP, **Basketter DA**. Contact allergy, irritancy and 'danger'. *Contact Dermatitis* 42:123-127, 2000
- Roberts DW, **Basketter DA**. Quantitative structure-activity relationships: sulfonate esters in the local lymph node assay. : *Contact Dermatitis* 42:154-161, 2000
- Warbrick EV, Dearman RJ, **Basketter DA**, **Kimber I**. Failure of vehicle to influence local lymph node assay response to benzocaine. *Contact Dermatitis* 42:164-165, 2000
- Dearman RJ, Caddick H, **Basketter DA**, **Kimber I**. Divergent antibody isotype responses induced in mice by systemic exposure to proteins: a comparison of ovalbumin with bovine serum albumin. *Food Chem Toxicol* 38:351-360, 2000
- Schnuch A, Geier J, Brasch J, Fuchs T, Pirker C, Schulze-Dirks A, **Basketter DA**. Polyhexamethylenebiguanide: a relevant contact allergen? *Contact Dermatitis* 42:302-303, 2000
- Basketter DA**, Whittle E, Monk B. Possible allergy to complex titanium salt. *Contact Dermatitis* 42:310-311, 2000
- Pichowski JS, Cumberbatch M, Dearman, **Basketter DA**, **Kimber I**. Investigation of induced changes in interleukin 1beta mRNA expression by cultured human dendritic cells as an in vitro approach to skin sensitization testing. *Toxicol In Vitro* 14:351-360, 2000
- McFadden JP, Rycroft RJ, White IR, Wakelin SH, **Basketter DA**. Hydrolyzed protein shampoo additives are not a common contact allergen. *Contact Dermatitis* 43:243, 2000
- McFadden JP, Holloway DB, Whittle EG, **Basketter DA**. Benzalkonium chloride neutralizes the irritant effect of sodium dodecyl sulfate. *Contact Dermatitis* 43:264-266, 2000
- Kimber I**, Cumberbatch M, Dearman RJ, Bhushan M, Griffiths CE. Cytokines and chemokines in the initiation and regulation of epidermal Langerhans cell mobilization. *Br J Dermatol* 142:401-412, 2000
- Pennie WD, Tugwood JD, Oliver GJ, **Kimber I**. The principles and practice of toxigenomics: applications and opportunities. *Toxicol Sci* 54:277-283, 2000
- Cumberbatch M, Dearman RJ, Uribe-Luna S, Headon DR, Ward PP, Conneely OM, **Kimber I**. Regulation of epidermal Langerhans cell migration by lactoferrin. *Immunology* 100:21-28, 2000
- Dearman RJ, Warbrick EV, Humphreys IR, **Kimber I**. Characterization in mice of the immunological properties of five allergenic acid anhydrides. *J Appl Toxicol* 20:221-230, 2000
- Koranteng RD, Dearman RJ, **Kimber I**, Coleman JW. Phenotypic variation in mast cell responsiveness to the inhibitory action of nitric oxide. *Inflamm Res* 49:240-246, 2000
- Huby RD, Dearman RJ, **Kimber I**. Why are some proteins allergens? *Toxicol Sci* 55:235-246, 2000
- Kimber I**, Atherton K, Kenna JG, Dearman RJ. Predictive methods for food allergenicity: perspectives and current status. *Toxicology* 147:147-150, 2000
- Holden PR, James NH, Brooks AN, Roberts RA, **Kimber I**, Pennie WD. Identification of a possible association between carbon tetrachloride-induced hepatotoxicity and interleukin-8 expression. *J Biochem Mol Toxicol* 14:283-290, 2000
- Cumberbatch M, Dearman RJ, Griffiths CE, **Kimber I**. Langerhans cell migration. *Clin Exp Dermatol* 25:413-418, 2000
- Moussavi A, Dearman RJ, **Kimber I**, Daniel KC, Kemeny DM. Antigen-specific and nonspecific determinants of cytokine production during topical sensitization of mice to chemical allergens. *J Allergy Clin Immunol* 106:357-368, 2000
- Craighead MW, Boutin H, Middlehurst KM, Allan SM, Brooks N, **Kimber I**, Rothwell NJ. Influence of corticotrophin releasing factor on neuronal cell death in vitro and in vivo. *Brain Res* 881:139-143, 2000

- Monteiro-Riviere NA**, Van Miller JP, Simon G, Joiner RL, Brooks JD, **Riviere JE**. Comparative in vitro percutaneous absorption of nonylphenol and nonylphenol ethoxylates (NPE-4 and NPE-9) through human, porcine and rat skin. *Toxicol Ind Health* 16:49-57, 2000
- Qiao GL**, Chang SK, Brooks JD, **Riviere JE**. Dermatotoxicokinetic modeling of p-nitrophenol and its conjugation metabolite in swine following topical and intravenous administration. *Toxicol Sci* 54:284-294, 2000
- Qiao G**, **Riviere JE**. Dermal absorption and tissue disposition of 3,3',4, 4'-tetrachlorobiphenyl (TCB) in an ex-vivo pig model: assessing the impact of dermal exposure variables. *Int J Occup Environ Health* 6:127-137, 2000
- Allen DG, **Riviere JE**, **Monteiro-Riviere NA**. Identification of early biomarkers of inflammation produced by keratinocytes exposed to jet fuels jet A, JP-8, and JP-8(100). *J Biochem Mol Toxicol*;14:231-237, 2000
- Baynes RE**, Payne M, Martin-Jimenez T, Abdullah AR, Anderson KL, Webb AI, Craigmill A, **Riviere JE**. Extralabel use of ivermectin and moxidectin in food animals. : *J Am Vet Med Assoc* 217:668-671, 2000
- Woolhiser MR, **Munson AE**, **Meade BJ**. Comparison of mouse strains using the local lymph node assay. *Toxicology* 146:221-227, 2000
- Woolhiser MR, **Munson AE**, **Meade BJ**. Immunological responses of mice following administration of natural rubber latex proteins by different routes of exposure. *Toxicol Sci* 55:343-351, 2000
- Hayes BB, Afshari A, Millecchia L, Willard PA, Povoski SP, **Meade BJ**. Evaluation of percutaneous penetration of natural rubber latex proteins. *Toxicol Sci* 56:262-270, 2000
- Diamond G, Legarda D, **Ryan LK**. The innate immune response of the respiratory epithelium. *Immunol Rev* 173:27-38, 2000
- McDougal JN**, Pollard DL, Weisman W, Garrett CM, Miller TE. Assessment of skin absorption and penetration of JP-8 jet fuel and its components. *Toxicol Sci* 55:247-255, 2000
- Gallucci RM**, Simeonova PP, Toriumi W, Luster. MITNF-alpha regulates transforming growth factor-alpha expression in regenerating murine liver and isolated hepatocytes. *J Immunol* 164:872-878, 2000
- Dudley BF, **Brimfield AA**, Winston GW. Oxidation of thiodiglycol (2,2'-thiobis-ethanol) by alcohol dehydrogenase: comparison of human isoenzymes. : *J Biochem Mol Toxicol* 14:244-251, 2000
- Bever RJ Jr, Couch LH, Sutherland JB, Williams AJ, Beger RD, Churchwell MI, Doerge DR, **Howard PC**. DNA adduct formation by Fusarium culture extracts: lack of role of fusarin C. *Chem Biol Interact* 128:141-157, 2000
- Yourick JJ, **Bronaugh RL**. Percutaneous penetration and metabolism of 2-nitro-p-phenylenediamine in human and fuzzy rat skin. *Toxicol Appl Pharmacol* 166:13-23, 2000
- Fung MA, LeBoit PE, **Maibach HI**. Coalescing green and yellow papules on the feet. *Arch Dermatol* 136:113-116, 2000
- Koehler AM, **Maibach HI**. Skin hyporeactivity in relation to patch testing. *Contact Dermatitis* 42:1-4, 2000
- Yoshizawa Y, Matsui H, Izaki S, Kitamura K, **Maibach HI**. Topical dinitrochlorobenzene therapy in the treatment of refractory atopic dermatitis: systemic immunotherapy. *J Am Acad Dermatol* 42:258-262, 2000
- Marks JG Jr, Belsito DV, DeLeo VA, Fowler JF Jr, Fransway AF, **Maibach HI**, Mathias CG, Pratt MD, Rietschel RL, Sherertz EF, Storrs FJ, Taylor JS. North American Contact Dermatitis Group patch-test results, 1996-1998. *Arch Dermatol* 136:272-273, 2000
- Zhai H, Hannon W, Hahn GS, Pelosi A, Harper RA, **Maibach HI**. Strontium nitrate suppresses chemically-induced sensory irritation in humans. *Contact Dermatitis* 42:98-100, 2000
- Mizushima J, Kawasaki Y, Tabohashi T, Kitano T, Sakamoto K, Kawashima M, Cooke R, **Maibach HI**. Effect of surfactants on human stratum corneum: electron paramagnetic resonance study. *Int J Pharm* 197:193-202, 2000
- Boman A, **Maibach HI**. Influence of evaporation and solvent mixtures on the absorption of toluene and n-butanol in human skin in vitro. *Ann Occup Hyg* 44:125-135, 2000
- Laugier JP, Shuster S, Rosdy M, Csoka AB, Stern R, **Maibach HI**. Topical hyaluronidase decreases hyaluronic acid and CD44 in human skin and in reconstituted human epidermis: evidence that hyaluronidase can permeate the stratum corneum. *Br J Dermatol* 142:226-233, 2000

- Poet TS, Thrall KD, Corley RA, Hui X, Edwards JA, Weitz KK, **Maibach HI**, Wester RC. Utility of real time breath analysis and physiologically based pharmacokinetic modeling to determine the percutaneous absorption of methyl chloroform in rats and humans. *Toxicol Sci* 54:42-51, 2000
- Hatch KL, **Maibach HI**. Textile dye allergic contact dermatitis prevalence. *Contact Dermatitis* 42:187-195, 2000
- Charbonnier V, Morrison BM Jr, Paye M, **Maibach HI**. An open assay model to induce subclinical non-erythematous irritation. *Contact Dermatitis* 42:207-211, 2000
- Chew AL, **Maibach HI**. Multiple corticosteroid orally elicited allergic contact dermatitis in a patient with multiple topical corticosteroid allergic contact dermatitis. *Cutis* 65:307-311, 2000
- Wester RC, **Maibach HI**. Understanding percutaneous absorption for occupational health and safety. *Int J Occup Environ Health* 6:86-92, 2000
- Boman A, **Maibach HI**. Percutaneous absorption of organic solvents. *Int J Occup Environ Health* 6:93-95, 2000
- Thrall KD, Poet TS, Corley RA, Tanojo H, Edwards JA, Weitz KK, Hui X, **Maibach HI**, Wester RC. A real-time in-vivo method for studying the percutaneous absorption of volatile chemicals. *Int J Occup Environ Health* 6:96-103, 2000
- Wester RC, **Maibach HI**. Benzene percutaneous absorption: dermal exposure relative to other benzene sources. *Int J Occup Environ Health* 6:122-126, 2000
- Zhai H, Hannon W, Hahn GS, Harper RA, Pelosi A, **Maibach HI**. Strontium nitrate decreased histamine-induced itch magnitude and duration in man. *Dermatology* 200:244-246, 2000
- Poet TS, Corley RA, Thrall KD, Edwards JA, Tanojo H, Weitz KK, Hui X, **Maibach HI**, Wester RC. Assessment of the percutaneous absorption of trichloroethylene in rats and humans using MS/MS real-time breath analysis and physiologically based pharmacokinetic modeling. *Toxicol Sci* 56:61-72, 2000
- Nakada T, Hostynek JJ, **Maibach HI**. Use tests: ROAT (repeated open application test)/PUT (provocative use test): an overview. *Contact Dermatitis* 43:1-3, 2000
- Effendy I, Loffler H, **Maibach HI**. Epidermal cytokines in murine cutaneous irritant responses. *J Appl Toxicol* 20:335-241, 2000
- Chew AL, Bashir SJ, **Maibach HI**. Treatment of head lice. *Lancet* 356:523-524, 2000
- Tsai TF, Paul BH, Jee SH, **Maibach HI**. Effects of glycolic acid on light-induced skin pigmentation in Asian and caucasian subjects. *J Am Acad Dermatol* 43:238-243, 2000
- Singh J, Gross M, Sage B, Davis HT, **Maibach HI**. Effect of saline iontophoresis on skin barrier function and cutaneous irritation in four ethnic groups. *Food Chem Toxicol* 38:717-726, 2000
- Simon GA, **Maibach HI**. The pig as an experimental animal model of percutaneous permeation in man: qualitative and quantitative observations--an overview. *Skin Pharmacol Appl Skin Physiol* 13:229-234, 2000
- Wester RM, Tanojo H, **Maibach HI**, Wester RC. Predicted Chemical Warfare Agent VX Toxicity to Uniformed Soldier Using Parathion in Vitro Human Skin Exposure and Absorption. *Toxicol Appl Pharmacol* 168:149-152, 2000
- MacKenzie BA, Striley CA, **Biagini RE**, Stettler LE, Hines CJ. Improved rapid analytical method for the urinary determination of 3, 5,6 trichloro-2-pyridinol, a metabolite of chlorpyrifos. *Bull Environ Contam Toxicol* 65:1-7, 2000
- Shi X, Ye J, Leonard SS, Ding M, Vallyathan V, **Castranova V**, Rojanasakul Y, Dong Z. Antioxidant properties of (-)-epicatechin-3-gallate and its inhibition of Cr(VI)-induced DNA damage and Cr(IV)- or TPA-stimulated NF-kappaB activation. *Mol Cell Biochem* 206:125-32, 2000
- Kang JL, Go YH, Hur KC, **Castranova V**. Silica-induced nuclear factor-kappaB activation: involvement of reactive oxygen species and protein tyrosine kinase activation. *J Toxicol Environ Health* 60:27-46, 2000
- Dokka S, Toledo D, Shi X, **Castranova V**, Rojanasakul Y. Oxygen radical-mediated pulmonary toxicity induced by some cationic liposomes. *Pharm Res* 17:521-525, 2000
- Leonard S, Wang S, Zang L, **Castranova V**, Vallyathan V, Shi X. Role of molecular oxygen in the generation of hydroxyl and superoxide anion radicals during enzymatic Cr(VI) reduction and its implication to Cr(VI)-induced carcinogenesis. *J Environ Pathol Toxicol Oncol* 19:49-60, 2000
- Ding M, Shi X, **Castranova V**, Vallyathan V. Predisposing factors in occupational lung cancer: inorganic minerals and chromium. *J Environ Pathol Toxicol Oncol* 19:129-138, 2000

- Castranova V**, Vallyathan V. Silicosis and coal Workers' pneumoconiosis. *Environ Health Perspect* 108 Suppl 4:675-684, 2000
- Chen F, Demers LM, Vallyathan V, Lu Y, **Castranova V**, Shi X. Impairment of NF-kappaB activation and modulation of gene expression by calpastatin. *Am J Physiol Cell Physiol* 279:C709-716, 2000
- Chen F, Ding M, Lu Y, Leonard SS, Vallyathan V, **Castranova V**, Shi X. Participation of MAP kinase p38 and IkappaB kinase in chromium (VI)-induced NF-kappaB and AP-1 activation. *J Environ Pathol Toxicol Oncol* 19:231-238, 2000
- Ye J, Wang S, Barger M, **Castranova V**, Shi X. Activation of androgen response element by cadmium: a potential mechanism for a carcinogenic effect of cadmium in the prostate. *J Environ Pathol Toxicol Oncol* 19:275-280, 2000
- Vallyathan V, Goins M, Lapp LN, Pack D, Leonard S, Shi X, **Castranova V**. Changes in bronchoalveolar lavage indices associated with radiographic classification in coal miners. *Am J Respir Crit Care Med* 162:958-965, 2000
- Leonard SS, Wang S, Shi X, Jordan BS, **Castranova V**, Dubick MA. Wood smoke particles generate free radicals and cause lipid peroxidation, DNA damage, NFkappaB activation and TNF-alpha release in macrophages. *Toxicology* 150:147-157, 2000
- Zang LY, Cosma G, Gardner H, Shi X, **Castranova V**, Vallyathan V. Effect of antioxidant protection by p-coumaric acid on low-density lipoprotein cholesterol oxidation. *Am J Physiol Cell Physiol* 279:C954-960, 2000
- Antonini JM, **Yang HM**, Ma JY, Roberts JR, Barger MW, Butterworth L, Charron TG, **Castranova V**. Subchronic Silica Exposure Enhances Respiratory Defense Mechanisms and the Pulmonary Clearance of Listeria Monocytogenes in Rats. *Inhal Toxicol* 12:1017-1036, 2000
- Karrow NA, McCay JA, Brown RD, Musgrove DL, Pettit DA, **Munson AE**, **Germolec DR**, White KL Jr. Thalidomide stimulates splenic IgM antibody response and cytotoxic T lymphocyte activity and alters leukocyte subpopulation numbers in female B6C3F1 mice *Toxicol Appl Pharmacol* 165:237-244, 2000
- Styblo M, Del Razo LM, Vega L, **Germolec DR**, LeCluyse EL, Hamilton GA, Reed W, Wang C, Cullen WR, Thomas DJ. Comparative toxicity of trivalent and pentavalent inorganic and methylated arsenicals in rat and human cells. *Arch Toxicol* 74:289-299, 2000
- Guo TL, McCay JA, Brown RD, Musgrove DL, Butterworth L, **Munson AE**, **Germolec DR**, White KL Jr. Glycidol modulation of the immune responses in female B6C3F1 mice. *Drug Chem Toxicol* 23:433-457, 2000
- Fabisiak JP, Tyurin VA, Tyurina YY, Sedlov A, Lazo JS, **Kagan VE**. Nitric oxide dissociates lipid oxidation from apoptosis and phosphatidylserine externalization during oxidative stress. *Biochemistry* 39:127-138, 2000
- Schor NF, Rudin CM, Hartman AR, Thompson CB, Tyurina YY, **Kagan VE**. Cell line dependence of Bcl-2-induced alteration of glutathione handling. *Oncogene* 19:472-476, 2000
- Boota A, Johnson B, Lee KL, Blaskovich MA, Liu SX, **Kagan VE**, Hamilton A, Pitt B, Sebti SM, Davies P. Prenyltransferase inhibitors block superoxide production by pulmonary vascular smooth muscle. *Am J Physiol Lung Cell Mol Physiol* 278:L329-334, 2000
- Borisenko GG, **Kagan VE**, Hsia CJ, Schor NF. Interaction between 6-hydroxydopamine and transferrin: "Let my iron go". *Biochemistry* 39:3392-3400, 2000
- Liu SX, Fabisiak JP, Tyurin VA, Borisenko GG, Pitt BR, Lazo JS, **Kagan VE**. Reconstitution of apo-superoxide dismutase by nitric oxide-induced copper transfer from metallothioneins. *Chem Res Toxicol* 13:922-931, 2000
- Tyurin VA, Tyurina YY, Borisenko GG, Sokolova TV, Ritov VB, Quinn PJ, Rose M, Kochanek P, Graham SH, **Kagan VE**. Oxidative Stress Following Traumatic Brain Injury in Rats: Quantitation of Biomarkers and Detection of Free Radical Intermediates. *J Neurochem* 75:2178-2189, 2000
- Smith JS, Macina OT, Sussman NB, **Luster MI**, **Karol MH**. A robust structure-activity relationship (SAR) model for esters that cause skin irritation in humans. *Toxicol Sci* 55:215-222, 2000
- Hooper KA, Nickolas TL, Yurkow EJ, Kohn J, **Laskin DL**. Characterization of the inflammatory response to biomaterials using a rodent air pouch model. *J Biomed Mater Res* 50:365-374, 2000
- Li TH, Hooper KA, Fischer E, **Laskin DL**, Buckley B, Turpin BJ. An exposure system to study the effects of water-soluble gases on PM-induced toxicity. *Inhal Toxicol* 12:563-576, 2000

- Simeonova PP, Wang S, Toriuma W, Kommineni V, Matheson J, Unimye N, Kayama F, Harki D, Ding M, Vallyathan V, **Luster MI**. Arsenic mediates cell proliferation and gene expression in the bladder epithelium: association with activating protein-1 transactivation. *Cancer Res* 60:3445-3453, 2000
- Luster MI**, Simeonova P, **Gallucci R**, Matheson J, Yucesoy B, Sugawara T. Overview of immunotoxicology and current applications to respiratory diseases. *Immunopharmacology* 48:311-313, 2000
- Simeonova PP, **Luster MI**. Mechanisms of arsenic carcinogenicity: genetic or epigenetic mechanisms? *J Environ Pathol Toxicol Oncol* 19:281-286, 2000
- Jang C, Park Y, Tanaka S, **Ma T**, Loh HH, Ho IK. Involvement of mu-opioid receptors in potentiation of apomorphine-induced climbing behavior by morphine: studies using mu-opioid receptor gene knockout mice. *Brain Res Mol Brain Res* 78:204-206, 2000
- Park Y, **Ma T**, Tanaka S, Jang C, Loh HH, Ko KH, Ho IK. Comparison of G-protein activation in the brain by mu-, delta-, and kappa-opioid receptor agonists in mu-opioid receptor knockout mice. *Brain Res Bull* 52:297-302, 2000
- Kille JW, Tesh JM, **McAnulty PA**, Ross FW, Willoughby CR, Bailey GP, Wilby OK, Tesh SA. Sucralose: assessment of teratogenic potential in the rat and the rabbit. *Food Chem Toxicol* 38 Suppl 2:S43-52, 2000
- Kalia M, O'Callaghan JP, **Miller DB**, Kramer M. Comparative study of fluoxetine, sibutramine, sertraline and dexfenfluramine on the morphology of serotonergic nerve terminals using serotonin immunohistochemistry. *Brain Res* 858:92-105, 2000
- Johnson EA, Sharp DS, **Miller DB**. Restraint as a stressor in mice: against the dopaminergic neurotoxicity of D-MDMA, low body weight mitigates restraint-induced hypothermia and consequent neuroprotection. *Brain Res* 875:107-118, 2000
- Moody RP**. Automated In Vitro Dermal Absorption (AIVDA): predicting skin permeation of atrazine with finite and infinite (swimming/bathing) exposure models. *Toxicol In Vitro* 14:467-474, 2000
- Gupta S, Srivastava M, Ahmad N, Bostwick DG, **Mukhtar H**. Overexpression of cyclooxygenase-2 in human prostate adenocarcinoma. *Prostate* 42:73-78, 2000
- Chiu SM, Davis TW, Meyers M, Ahmad N, **Mukhtar H**, Separovic D. Phthalocyanine 4-photodynamic therapy induces ceramide generation and apoptosis in acid sphingomyelinase-deficient mouse embryonic fibroblasts. *Int J Oncol* 16:423-427, 2000
- Katiyar SK, Matsui MS, **Mukhtar H**. Ultraviolet-B exposure of human skin induces cytochromes P450 1A1 and 1B1. *J Invest Dermatol* 114:328-333, 2000
- Kalka K, Merk H, **Mukhtar H**. Photodynamic therapy in dermatology. *J Am Acad Dermatol* 42:389-413, 2000
- Ahmad N, Gupta S, Husain MM, Heiskanen KM, **Mukhtar H**. Differential antiproliferative and apoptotic response of sanguinarine for cancer cells versus normal cells. *Clin Cancer Res* 6:1524-1528, 2000
- Ahmad N, Gupta S, **Mukhtar H**. Green tea polyphenol epigallocatechin-3-gallate differentially modulates nuclear factor kappaB in cancer cells versus normal cells. *Arch Biochem Biophys* 376:338-346, 2000
- Islam S, Islam N, Kermod T, Johnstone B, **Mukhtar H**, Moskowitz RW, Goldberg VM, Malemud CJ, Haqqi TM. Involvement of caspase-3 in epigallocatechin-3-gallate-mediated apoptosis of human chondrosarcoma cells. *Biochem Biophys Res Commun* 270:793-797, 2000
- Gupta S, Ahmad N, Nieminen AL, **Mukhtar H**. Growth inhibition, cell-cycle dysregulation, and induction of apoptosis by green tea constituent (-)-epigallocatechin-3-gallate in androgen-sensitive and androgen-insensitive human prostate carcinoma cells. *Toxicol Appl Pharmacol* 164:82-90, 2000
- Whitacre CM, Feyes DK, Satoh T, Grossmann J, Mulvihill JW, **Mukhtar H**, Oleinick NL. Photodynamic therapy with the phthalocyanine photosensitizer Pc 4 of SW480 human colon cancer xenografts in athymic mice. *Clin Cancer Res* 6:2021-2027, 2000
- Mukhtar H**, Ahmad N. Tea polyphenols: prevention of cancer and optimizing health. *Am J Clin Nutr* 71 (Suppl):1698S-1702S, 2000
- Kalka K, **Mukhtar H**, Turowski-Wanke A, Merk H. Biomelanin antioxidants in cosmetics: assessment based on inhibition of lipid peroxidation. *Skin Pharmacol Appl Skin Physiol* 13:143-149, 2000
- Ahmad N, **Mukhtar H**. Mechanism of photodynamic therapy-induced cell death. *Methods Enzymol* 319:342-358, 2000
- Ahmad N, Cheng P, **Mukhtar H**. Cell cycle dysregulation by green tea polyphenol epigallocatechin-3-gallate. *Biochem Biophys Res Commun* Aug275:328-334, 2000

Katiyar SK, Ahmad N, **Mukhtar H**. Green tea and skin. *Arch Dermatol* 136:989-994, 2000

Gupta S, Ahmad N, Marengo SR, MacLennan GT, Greenberg NM, **Mukhtar H**. Chemoprevention of prostate carcinogenesis by alpha-difluoromethylornithine in TRAMP mice. *Cancer Res* 60:5125-5133, 2000

Athar M, Kim AL, Ahmad N, **Mukhtar H**, Gautier J, Bickers DR. Mechanism of Ultraviolet B-Induced Cell Cycle Arrest in G2/M Phase in Immortalized Skin Keratinocytes with Defective p53. *Biochem Biophys Res Commun* 277:107-111, 2000

Munson AE, Phillips KE. Natural killer cells and immunotoxicology. *Methods Mol Biol* 121:359-365, 2000

Koganti A, Singh R, Rozett K, Modi N, Goldstein LS, **Roy TA**, Zhang FJ, Harvey RG, Weyand EH. 7H-benzo[c]fluorene: a major DNA adduct-forming component of coal tar. *Carcinogenesis* 21:1601-1609, 2000
Ward MD, Madison SL, **Sailstad DM**, Gavett SH, **Selgrade MK**. Allergen-triggered airway hyperresponsiveness and lung pathology in mice sensitized with the biopesticide Metarhizium anisopliae. *Toxicology* 143:141-154, 2000

Ward MD, Madison SL, Andrews DL, **Sailstad DM**, Gavett SH, **Selgrade MJ**. Comparison of respiratory responses to Metarhizium anisopliae extract using two different sensitization protocols. *Toxicology* 147:133-145, 2000

Ryan LK, Neldon DL, Bishop LR, Gilmour MI, Daniels MJ, **Sailstad DM**, **Selgrade MJ**. Exposure to ultraviolet radiation enhances mortality and pathology associated with influenza virus infection in mice. *Photochem Photobiol.* 72:497-507, 2000

Siglin JC, Mattie DR, Dodd DE, Hildebrandt PK, Baker WH. A 90-day drinking water toxicity study in rats of the environmental contaminant ammonium perchlorate. *Toxicol Sci* 57:61-74, 2000

Chanda S, Robinette CL, Couse JF, **Smart RC**. 17beta-estradiol and ICI-182780 regulate the hair follicle cycle in mice through an estrogen receptor-alpha pathway. *Am J Physiol Endocrinol Metab* 278:E202-210, 2000

Zhang L, **Tinkle SS**. Chemical activation of innate and specific immunity in contact dermatitis. *J Invest Dermatol* 115:168-176, 2000

Antonini JM, Starks K, Roberts JR, Millecchia L, **Yang HM**, Rao KM. Changes in F-actin organization induced by hard metal particle exposure in rat pulmonary epithelial cells using laser scanning confocal microscopy *In Vitro Mol Toxicol* 13:5-16, 2000

Gustafson DL, Long ME, Thomas RS, Benjamin SA, **Yang RS**. Comparative hepatocarcinogenicity of hexachlorobenzene, pentachlorobenzene, 1,2,4,5-tetrachlorobenzene, and 1,4-dichlorobenzene: application of a medium-term liver focus bioassay and molecular and cellular indices. *Toxicol Sci* 53:245-252, 2000

Thomas RS, Conolly RB, Gustafson DL, Long ME, Benjamin SA, **Yang RS**. A physiologically based pharmacodynamic analysis of hepatic foci within a medium-term liver bioassay using pentachlorobenzene as a promoter and diethylnitrosamine as an initiator. *Toxicol Appl Pharmacol* 166:128-137, 2000

Zheng W, Wang S, Barnes LF, Guan Y, Louis ED. Determination of harmaline and harmine in human blood using reversed-phased high-performance liquid chromatography and fluorescence detection *Anal Biochem* 279:125-129, 2000

Zheng W, Kim H, Zhao Q. Comparative toxicokinetics of manganese chloride and methylcyclopentadienyl manganese tricarbonyl (MMT) in Sprague-Dawley rats. *Toxicol Sci* 54:295-301, 2000